

21.5+21.5

# 21.5 inches

# Dual screen

Capacitive screen multi finger touch control

---



**Note: This product package does not include a host and must have its own host,  
The host should be equipped with: VGA+HDMI**

# Advantage

Main selling points of the product

A large blue 'A+' icon representing high quality or grade.

**Grade A+Panel**  
**No bad pixel**



**Resolution**  
**1920\*1080**



**Stable**  
**performance**



**Long**  
**service life**



**Waterproof and**  
**dustproof**



**Quiet heat**  
**dissipation**

# Parameter

For more parameters, please consult customer service


Supply voltage	100V-240V
Host voltage	12V 5A
Display	21.5" resolution 1920* 1080, 16:9 TFT LED
Touch screen	10point Capacitive Touch
Contrast	700 : 1
Water Resistance	IP65 Front Panel
Viewing Angle	55 Degrees Horizontal, 55 Degrees Vertical
Brightness	300cd / m <sup>2</sup>
Operating Temperature	-10 to +60 Degrees Celsius
Interface	USB(touch) / HDMI*1 / VGA*1 / Dc in*1
MSR	/
Customer screen	21.5" resolution 1920* 1080, 16:9
Material	ABS
Total body weight	6.7KG

# Product size

Reasonable design provides a more aesthetic and practical experience



527mm



(Total height of product: **367mm**)

*\*The size of the product is measured manually. There may be some deviation in the actual situation, subject to the actual object!*




(Front side)



(Dorsal side)

# Dual screen interface

The customer's host must be equipped with a  
VGA+HDMI interface




## Main screen connection port




USB(touch)



Dc in



VGA




HDMI

Customizable interface

## Customer screen




Dc in



VGA

Customizable interface



*The self-contained host must be equipped with VGA+HDMI*

# Display display

The product is a monitor and must be equipped  
with a host for use

